

# **Safety Data Sheet**

Issue Date: 01-June-2016 Revision Date: 24-May-2016 Version 2

#### 1. IDENTIFICATION

Product Identifier

Product Name SureGrip 112 Water-based Adhesive

Other means of identification

**SDS#** 0112

Recommended use of the chemical and restrictions on use

Recommended Use Adhesive.

Details of the supplier of the safety data sheet

Manufacturer Address Spectrum Adhesives Inc 5611 Universal Drive Memphis, TN 38118

**Emergency Telephone Number** 

Company Phone Number Emergency Telephone (24 hr) Phone: 1-901-795-1943 Fax: 1-901-360-9580 INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Physical State Viscous liquid

#### Classification

No reportable quantities of hazardous ingredients known to company Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

#### Other Hazards

Harmful to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Corn Starch	9005-25-8	10-15
Kaolin	1332-58-7	5-10
Methanol	67-56-1	<2
Quartz	14808-60-7	<1.

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact: Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects

Symptoms Not determined.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

# Specific Hazards Arising from the Chemical

Not determined.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Corn Starch	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust:	TWA: 10 mg/m³ total dust
9005-25-8		TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m³	
	ļ	respirable fraction	
Kaolin	TWA: 2 mg/m³ particulate matter	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1332-58-7	containing no asbestos and <1%		TWA: 5 mg/m <sup>3</sup> respirable dust
	crystalline silica, respirable	(vacated) TWA: 10 mg/m³ total	·
	fraction	dust	
		(vacated) TWA: 5 mg/m³	
		respirable fraction	
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	.S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>
		(vacated) TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m <sup>3</sup>
		(vacated) STEL: 325 mg/m <sup>3</sup>	
÷ .		(vacated) S*	22 : 8
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	(vacated) TWA: 0.1 mg/m³	IDLH: 50 mg/m³ respirable dust
14808-60-7	fraction	respirable dust	TWA: 0.05 mg/m <sup>3</sup> respirable
		: (30)/(%SiO2 + 2) mg/m <sup>3</sup> TWA	dust
		total dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m³ TWA	
		respirable fraction	

# Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

EyelFace Protection Avoid contact with eyes.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Viscous liquid

AppearanceWhite liquidOdorMild slight OdorColorWhiteOdor ThresholdNot determined

Property Values Remarks • Method

pH 4.0 - 5.5

Melting Point/Freezing Point Not determined Not determined

Flash Point None

Evaporation Rate Not determined Not determined Not determined Upper Flammability Limits Not determined Lower Flammability Limit Not determined Vapor Pressure Not determined Not determined Not determined Not determined Not determined Not determined

**Specific Gravity** ~1.12 (9.20 – 9.60 lbs/gal)

Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined Kinematic Viscosity 6,000 - 7,000 cps **Dynamic Viscosity** 5,000 - 8,000 cps **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to Avoid

Keep out of reach of children.

#### Incompatible Materials

None known based on information supplied.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

**Inhalation** Do not inhale.

Ingestion May be harmful if swallowed.

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 5628.mg/kg· ( Rat )	= 15800 mg/kg ( Rabbit )	= 83.2 mg/L (Rat) 4 h = 64000
67-56-1			ppm (Rat)4 h
Quartz	= 500 mg/kg(Rat)	· <del>-</del> ·	-
14808-60-7			
Sodium Polyacrylate	> 40 g/kg (Rat)		-
9003-04-7			

#### Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Silica (quartz) is a possible carcinogen when it appears as a respirable dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X:
14808-60-7				

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### Numerical measures of toxicity

Not determined

# 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methanol		28200: 96 h Pimephales		
67-56-1		promelas mg/L LC50 flow-		
		through 100: 96 h		
		Pimephales promelas mg/L		
		LC50 static 19500 - 20700.		
		96 h Oncorhynchus mykiss		
		mg/L LC50 flow-through 18 -		
		20: 96 h Oncorhynchus		
		mykiss mL/L LC50 static		
		13500 - 17600: 96 h		
		Lepomis macrochirus mg/L		
		LC50 flow-through		

#### Persistence/Degradability

Not determined.

#### Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Methanol	-0.77
67-56-1	

#### Other Adverse Effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**US EPA Waste Number** 

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol		Included in waste stream:		U154
67-56-1		F039		

<u>California Hazardous Waste Status</u> This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste Status
Methanol	Toxic
67-56-1	Ignitable

# 14. TRANSPORT INFORMATION

**Note**Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

IMDG

Marine Pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

# 15. REGULATORY INFORMATION

# International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Corn Starch	Present	X		Present		Present	X	Present	X	X
Kaolin	Present	Х		Present		Present	X	Present	Х	Х
Methanol	Present	Х		Present		Present	Х	Present	X	X
Quartz	Present	Х		Present		Present	X.	Present	Х	X

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol	5000 lb		RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methanol - 67-56-1	67-56-1	<u>&lt;2</u>	1.0

# US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Methanol - 67-56-1	Developmental
Quartz - 14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Corn Starch 9005-25-8		Х	X
Kaolin 1332-58-7	X	Х	×X
Methanol 67-56-1	X	X	X
Quartz 14808-60-7	·X	X	X

# 16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
HMIS:	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	1	0	B:

Revision Date: 25-May-2016 Revision Note: New format

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Salety Data Sheet